

RACORES INSTANTÁNEOS EN ACERO INOX 316L





Versión acero Inox.

INOX

CERTIFICACIÓN
FDA


Ref.	Ø Ext. "T"	P	B	D	L	A/F
GXC 04-01	4 mm	R1/8"	7.5	10.0	22.6	11.0
GXC 06-01	6 mm	R1/8"	7.5	12.4	23.3	13.0
GXC 06-02	6 mm	R1/4"	11.0	12.4	22.8	14.0
GXC 08-01	8 mm	R1/8"	7.5	14.0	26.3	14.0
GXC 08-02	8 mm	R1/4"	11.0	14.0	26.3	14.0
GXC 08-03	8 mm	R3/8"	11.5	14.0	24.3	17.0
GXC 10-02	10 mm	R1/4"	11.0	16.5	29.3	17.0
GXC 10-03	10 mm	R3/8"	11.5	16.5	26.8	17.0
GXC 10-04	10 mm	R1/2"	15.0	16.5	27.8	22.0
GXC 12-02	12 mm	R1/4"	11.0	19.0	31.0	20.6
GXC 12-03	12 mm	R3/8"	11.5	19.0	28.2	20.6
GXC 12-04	12 mm	R1/2"	15.0	19.0	28.2	22.0
GXC 14-04	14 mm	R1/2"	15.0	21.8	32.2	22.0
GXC 16-04	16 mm	R1/2"	15.0	23.3	33.2	24.0



GXC

Recto Tubo-Rosca macho BSPT (cónica)



Ref.	Ø Ext. "T"	P	B	D	L	A/F
GXC 04-MS	4 mm	M5	5.0	10.0	23.8	11.0
GXC 04-G01	4 mm	G1/8"	5.8	10.0	22.8	14.0
GXC 06-G01	6 mm	G1/8"	5.8	12.4	24.3	14.0
GXC 06-G02	6 mm	G1/4"	7.5	12.4	23.3	17.0
GXC 08-G01	8 mm	G1/8"	5.8	14.0	25.3	14.0
GXC 08-G02	8 mm	G1/4"	7.5	14.0	24.0	17.0
GXC 08-G03	8 mm	G3/8"	7.5	14.0	23.8	20.6
GXC 10-G02	10 mm	G1/4"	7.5	16.5	27.4	17.0
GXC 10-G03	10 mm	G3/8"	7.5	16.5	24.3	20.6
GXC 10-G04	10 mm	G1/2"	10.0	16.5	26.0	27.0
GXC 12-G02	12 mm	G1/4"	7.5	19.0	28.4	17.0
GXC 12-G03	12 mm	G3/8"	7.5	19.0	28.8	20.6
GXC 12-G04	12 mm	G1/2"	10.0	19.0	28.4	27.0
GXC 14-G04	14 mm	G1/2"	10.0	21.8	29.2	27.0
GXC 16-G04	16 mm	G1/2"	10.0	23.3	32.2	27.0



GXC-G

Recto Tubo-Rosca macho BSPP (cilíndrica)


Ref.	Ø Ext. "T"	P	D	L	A/F
GXF 04-G01	4 mm	G1/8"	10.0	28.8	13.0
GXF 06-G01	6 mm	G1/8"	12.4	29.3	13.0
GXF 06-G02	6 mm	G1/4"	12.4	30.8	17.0
GXF 08-G01	8 mm	G1/8"	14.0	29.8	14.0
GXF 08-G02	8 mm	G1/4"	14.0	30.3	17.0
GXF 08-G03	8 mm	G3/8"	14.0	30.8	20.6
GXF 10-G02	10 mm	G1/4"	16.5	31.3	17.0
GXF 10-G03	10 mm	G3/8"	16.5	30.8	20.6
GXF 10-G04	10 mm	G1/2"	16.5	33.6	27.0
GXF 12-G02	12 mm	G1/4"	19.0	31.8	20.6
GXF 12-G03	12 mm	G3/8"	19.0	32.2	20.6
GXF 12-G04	12 mm	G1/2"	19.0	35.0	27.0
GXF 14-G04	14 mm	G1/2"	21.8	36.0	27.0
GXF 16-G04	16 mm	G1/2"	23.3	35.4	27.0



GXF-G

Recto Tubo-Rosca hembra BSPP (cilíndrica)

Ref.	Ø Ext. "T"	D	L	A/F
GXUL 04-00	4 mm	10.0	20.3	10.0
GXUL 06-00	6 mm	12.4	22.0	12.0
GXUL 08-00	8 mm	14.0	23.2	14.0
GXUL 10-00	10 mm	16.5	24.3	16.0
GXUL 12-00	12 mm	19.5	26.7	19.0
GXUL 14-00	14 mm	21.8	28.7	22.0
GXUL 16-00	16 mm	23.3	30.0	24.0



GXUL

Codo 90° Tubo-Tubo




Versión acero Inox.



RACORES INSTANTÁNEOS EN ACERO INOX 316L


Ref.	Ø Ext. "T"	P	D	L1	L2	G	H	A/F
GXMF 04-G01	4 mm	G1/8"	10.0	31.3	18.8	6.0	M12X1	16.0
GXMF 06-G01	6 mm	G1/8"	12.4	31.3	19.3	6.0	M14X1	19.0
GXMF 06-G02	6 mm	G1/4"	12.4	33.3	19.3	6.0	M14X1	19.0
GXMF 08-G01	8 mm	G1/8"	14.0	31.8	20.3	6.0	M16X1	20.6
GXMF 08-G02	8 mm	G1/4"	14.0	34.8	20.3	6.0	M16X1	20.6
GXMF 08-G03	8 mm	G3/8"	14.0	34.8	20.3	6.0	M16X1	20.6
GXMF 10-G02	10 mm	G1/4"	16.5	35.8	24.8	8.0	M18X1	22.0
GXMF 10-G03	10 mm	G3/8"	16.5	37.8	24.8	8.0	M18X1	22.0
GXMF 10-G04	10 mm	G1/2"	16.5	41.3	24.8	8.0	M18X1	27.0
GXMF 12-G02	12 mm	G1/4"	19.0	37.2	25.2	10.0	M22X1.5	27.0
GXMF 12-G03	12 mm	G3/8"	19.0	37.2	25.2	10.0	M22X1.5	27.0
GXMF 12-G04	12 mm	G1/2"	19.0	41.7	25.2	10.0	M22X1.5	27.0
GXMF 14-G04	14 mm	G1/2"	21.8	41.7	27.2	10.0	M24X1.5	28.6
GXMF 16-G04	16 mm	G1/2"	23.3	39.2	27.2	10.0	M26X1.5	30.0



GXMF-G

Recto Tubo-Rosca hembra pasamuros BSPP (cilíndrica)


Ref.	Ø Ext. "T"	P	B	D	L1	L2	A/F1	A/F2
GXL 04-01	4 mm	R1/8"	7.5	10.0	20.3	25.6	10.0	11.0
GXL 06-01	6 mm	R1/8"	7.5	12.4	22.0	26.8	12.0	13.0
GXL 06-02	6 mm	R1/4"	11.0	12.4	22.0	30.5	12.0	14.0
GXL 08-01	8 mm	R1/8"	7.5	14.0	23.2	27.8	14.0	14.0
GXL 08-02	8 mm	R1/4"	11.0	14.0	23.2	31.5	14.0	14.0
GXL 08-03	8 mm	R3/8"	11.5	14.0	23.2	32.3	14.0	17.0
GXL 10-02	10 mm	R1/4"	11.0	16.5	24.3	33.0	16.0	16.0
GXL 10-03	10 mm	R3/8"	11.5	16.5	24.3	33.7	16.0	17.0
GXL 10-04	10 mm	R1/2"	15.0	16.5	24.3	37.5	16.0	22.0
GXL 12-02	12 mm	R1/4"	11.0	19.0	26.7	35.0	19.0	19.0
GXL 12-03	12 mm	R3/8"	11.5	19.0	26.7	35.6	19.0	19.0
GXL 12-04	12 mm	R1/2"	15.0	19.0	26.7	39.4	19.0	22.0
GXL 14-04	14 mm	R1/2"	15.0	21.8	28.7	42.2	22.0	22.0
GXL 16-04	16 mm	R1/2"	15.0	23.3	30.0	43.5	24.0	24.0



GXL

Codo 90° Tubo-rosca macho BSPT (cónica orientable)

Ref.	Ø Ext. "T"	R	P	D	L1	L2	A/F1	A/F2
GXL 04-M5	4 mm	M5	5.0	10.0	20.3	24.0	10.0	11.0
GXL 04-G01	4 mm	G1/8"	5.8	10.0	20.3	24.9	10.0	14.0
GXL 06-M6	6 mm	M6	5.3	12.4	22.0	25.7	12.0	13.0
GXL 06-G01	6 mm	G1/8"	5.8	12.4	22.0	26.0	12.0	14.0
GXL 06-G02	6 mm	G1/4"	7.5	12.4	22.0	28.0	12.0	17.0
GXL 08-G01	8 mm	G1/8"	5.8	14.0	23.2	27.0	14.0	14.0
GXL 08-G02	8 mm	G1/4"	7.5	14.0	23.2	29.0	14.0	17.0
GXL 08-G03	8 mm	G3/8"	7.5	14.0	23.2	29.5	14.0	20.6
GXL 10-G02	10 mm	G1/4"	7.5	16.5	24.3	30.3	16.0	17.0
GXL 10-G03	10 mm	G3/8"	7.5	16.5	24.3	30.7	16.0	20.6
GXL 10-G04	10 mm	G1/2"	10.0	16.5	24.3	33.8	16.0	27.0
GXL 12-G02	12 mm	G1/4"	7.5	19.0	26.7	32.8	19.0	19.0
GXL 12-G03	12 mm	G3/8"	7.5	19.0	26.7	32.6	19.0	20.6
GXL 12-G04	12 mm	G1/2"	10.0	19.0	26.7	35.8	19.0	27.0
GXL 14-G04	14 mm	G1/2"	10.0	21.8	28.7	38.4	22.0	27.0
GXL 16-G04	16 mm	G1/2"	10.0	23.3	30.0	39.6	24.0	27.0



GXL-G

Codo 90° Tubo-rosca macho BSPP (cilíndrica orientable)

RACORES INSTANTÁNEOS EN ACERO INOX 316L




Versión acero Inox.

INOX


CERTIFICACIÓN
FDA

Ref.	Ø Ext. "T"	P	B	D	L1	L2	A/F
GXLI 04-01	4 mm	R1/8"	7.5	10.0	20.3	16.0	10.0
GXLI 06-01	6 mm	R1/8"	7.5	12.4	22.0	17.2	12.0
GXLI 06-02	6 mm	R1/4"	11.0	12.4	23.2	22.0	14.0
GXLI 08-01	8 mm	R1/8"	7.5	14.0	23.2	18.2	14.0
GXLI 08-02	8 mm	R1/4"	11.0	14.0	23.2	21.7	14.0
GXLI 10-02	10 mm	R1/4"	11.0	16.5	24.3	23.0	16.0
GXLI 10-03	10 mm	R3/8"	11.5	16.5	24.3	23.5	16.0
GXLI 12-02	12 mm	R1/4"	11.0	19.0	26.7	24.5	19.0
GXLI 12-03	12 mm	R3/8"	11.5	19.0	26.7	25.0	19.0




GXLI
Codo 90° Tubo-rosca macho BSPT (cónica FIJA)

Ref.	Ø Ext. "T"	D	L	A/F
GXUT 04-00	4 mm	10.0	20.3	10.0
GXUT 06-00	6 mm	12.4	22.0	12.0
GXUT 08-00	8 mm	14.0	23.2	14.0
GXUT 10-00	10 mm	16.5	24.3	16.0
GXUT 12-00	12 mm	19.0	26.7	19.0
GXUT 14-00	14 mm	21.8	28.7	22.0
GXUT 16-00	16 mm	23.3	30.0	24.0




GXUT
"T" Tubo-Tubo-Tubo

Ref.	Ø Ext. "T"	P	B	D	L1	L2	A/F1	A/F2
GXT 04-M5	4 mm	M5	5.0	10.0	20.3	24.0	10.0	11.0
GXT 04-G01	4 mm	G1/8"	5.8	10.0	20.3	24.9	10.0	14.0
GXT 06-M6	6 mm	M6	5.3	12.4	22.0	25.7	12.0	13.0
GXT 06-G01	6 mm	G1/8"	5.8	12.4	22.0	26.0	12.0	14.0
GXT 06-G02	6 mm	G1/4"	7.5	12.4	22.0	28.0	12.0	17.0
GXT 08-G01	8 mm	G1/8"	5.8	14.0	23.2	27.0	14.0	14.0
GXT 08-G02	8 mm	G1/4"	7.5	14.0	23.2	29.0	14.0	17.0
GXT 08-G03	8 mm	G3/8"	7.5	14.0	23.2	29.5	14.0	20.6
GXT 10-G02	10 mm	G1/4"	7.5	16.5	24.3	30.3	16.0	17.0
GXT 10-G03	10 mm	G3/8"	7.5	16.5	24.3	30.7	16.0	20.6
GXT 10-G04	10 mm	G1/2"	10.0	16.5	24.3	33.8	16.0	27.0
GXT 12-G02	12 mm	G1/4"	7.5	19.0	26.7	32.8	19.0	19.0
GXT 12-G03	12 mm	G3/8"	7.5	19.0	26.7	32.6	19.0	20.6
GXT 12-G04	12 mm	G1/2"	10.0	19.0	26.7	35.8	19.0	27.0
GXT 14-G04	14 mm	G1/2"	10.0	21.8	28.7	38.4	22.0	27.0
GXT 16-G04	16 mm	G1/2"	10.0	23.3	30.0	39.6	24.0	27.0



GXT-G
"T" Tubo - Rosca macho BSPP (cilíndrica orientable) - Tubo

Ref.	Ø Ext. "T"	P	B	D	L1	L2	A/F1	A/F2
GXT 04-01	4 mm	R1/8"	7.5	10.0	20.3	25.6	10.0	11.0
GXT 06-01	6 mm	R1/8"	7.5	12.4	22.0	26.8	12.0	13.0
GXT 06-02	6 mm	R1/4"	11.0	12.4	22.0	30.5	12.0	14.0
GXT 08-01	8 mm	R1/8"	7.5	14.0	23.2	27.8	14.0	14.0
GXT 08-02	8 mm	R1/4"	11.0	14.0	23.2	31.5	14.0	14.0
GXT 08-03	8 mm	R3/8"	11.5	14.0	23.2	32.3	14.0	17.0
GXT 10-02	10 mm	R1/4"	11.0	16.5	24.3	33.0	16.0	16.0
GXT 10-03	10 mm	R3/8"	11.5	16.5	24.3	33.7	16.0	17.0
GXT 10-04	10 mm	R1/2"	15.0	16.5	24.3	37.5	16.0	22.0
GXT 12-02	12 mm	R1/4"	11.0	19.0	26.7	35.0	19.0	19.0
GXT 12-03	12 mm	R3/8"	11.5	19.0	26.7	35.6	19.0	19.0
GXT 12-04	12 mm	R1/2"	15.0	19.0	26.7	39.4	19.0	22.0
GXT 14-04	14 mm	R1/2"	15.0	21.8	28.7	42.2	22.0	22.0
GXT 16-04	16 mm	R1/2"	15.0	23.3	30.0	43.5	24.0	24.0



GXT
"T" Tubo - Rosca macho BSPT (cónica orientable) - Tubo




Versión acero Inox.




RACORES INSTANTÁNEOS EN ACERO INOX 316L

Ref.	Ø Ext. "T"	P	B	D	L1	L2	A/F
GXTI 04-01	4 mm	R1/8"	7.5	10.0	20.3	16.0	10.0
GXTI 06-01	6 mm	R1/8"	7.5	12.4	22.0	17.2	12.0
GXTI 06-02	6 mm	R1/4"	11.0	12.4	23.2	22.0	14.0
GXTI 08-01	8 mm	R1/8"	7.5	14.0	23.2	18.5	14.0
GXTI 08-02	8 mm	R1/4"	11.0	14.0	23.2	21.7	14.0
GXTI 10-02	10 mm	R1/4"	11.0	16.5	24.3	23.0	16.0
GXTI 12-02	12 mm	R1/4"	11.0	19.0	26.7	24.5	19.0




GXTI
"T" Tubo - Rosca macho BSPT (cónica fija) - Tubo

Ref.	Ø Ext. "T"	P	D	L1	L2	A/F1	A/F2
GXTF 04-G01	4 mm	G1/8"	10.0	20.3	25.1	10.0	13.0
GXTF 06-G01	6 mm	G1/8"	12.4	22.0	26.5	12.0	13.0
GXTF 06-G02	6 mm	G1/4"	12.4	22.0	28.5	12.0	17.0
GXTF 08-G01	8 mm	G1/8"	14.0	23.2	27.5	14.0	14.0
GXTF 08-G02	8 mm	G1/4"	14.0	23.2	29.5	14.0	17.0
GXTF 08-G03	8 mm	G3/8"	14.0	23.2	30.2	14.0	20.6
GXTF 10-G02	10 mm	G1/4"	16.5	24.3	31.0	16.0	17.0
GXTF 10-G03	10 mm	G3/8"	16.5	24.3	30.8	16.0	20.6
GXTF 10-G04	10 mm	G1/2"	16.5	24.3	32.5	16.0	27.0
GXTF 12-G02	12 mm	G1/4"	19.0	26.7	32.8	19.0	19.0
GXTF 12-G03	12 mm	G3/8"	19.0	26.7	32.8	19.0	20.6
GXTF 12-G04	12 mm	G1/2"	19.0	26.7	34.3	19.0	27.0
GXTF 14-G04	14 mm	G1/2"	21.8	28.7	36.9	22.0	27.0
GXTF 16-G04	16 mm	G1/2"	23.3	30.0	38.3	24.0	27.0




GXTF-G
"T" Tubo - Rosca hembra BSPP (cilíndrica orientable) - Tubo

Ref.	Ø Ext. "T"	D	L	A/F
GXZ 04-00	4 mm	10.0	20.3	10.0
GXZ 06-00	6 mm	12.4	22.0	12.0
GXZ 08-00	8 mm	14.0	23.2	14.0
GXZ 10-00	10 mm	16.5	24.3	16.0
GXZ 12-00	12 mm	19.0	26.7	19.0
GXZ 14-00	14 mm	21.8	28.7	22.0
GXZ 16-00	16 mm	23.3	30.0	24.0



GXZ
Cruz Tubo-Tubo-Tubo-tubo

Ref.	Ø Ext. "T"	P	B	L	A/F
GXCJ 04-01	4 mm	R1/8"	7.5	35.3	11.0
GXCJ 04-02	4 mm	R1/4"	11.0	39.0	14.0
GXCJ 06-01	6 mm	R1/8"	7.5	36.3	11.0
GXCJ 06-02	6 mm	R1/4"	11.0	40.0	14.0
GXCJ 08-01	8 mm	R1/8"	7.5	36.3	11.0
GXCJ 08-02	8 mm	R1/4"	11.0	40.0	14.0
GXCJ 08-03	8 mm	R3/8"	11.5	40.8	17.0
GXCJ 10-02	10 mm	R1/4"	11.0	41.0	14.0
GXCJ 10-03	10 mm	R3/8"	11.5	41.8	17.0
GXCJ 10-04	10 mm	R1/2"	15.0	46.0	22.0
GXCJ 12-02	12 mm	R1/4"	11.0	43.0	14.0
GXCJ 12-03	12 mm	R3/8"	11.5	43.8	17.0
GXCJ 12-04	12 mm	R1/2"	15.0	47.8	22.0
GXCJ 14-04	14 mm	R1/2"	15.0	49.0	22.0
GXCJ 16-04	16 mm	R1/2"	15.0	49.0	22.0



GXCJ
Adaptador Tubo-Rosca macho BSPT (cónica)

RACORES INSTANTÁNEOS EN ACERO INOX 316L





Versión acero Inox.

INOX

CERTIFICACIÓN
FDA



Ref.	Ø Ext. "T"	P	B	L	A/F
GXCJ 04-M5	4 mm	M5	5.0	34.0	11.0
GXCJ 04-G01	4 mm	G1/8"	5.8	35.3	14.0
GXCJ 04-G02	4 mm	G1/4"	7.5	35.8	17.0
GXCJ 06-G01	6 mm	G1/8"	5.8	35.8	14.0
GXCJ 06-G02	6 mm	G1/4"	7.5	37.8	17.0
GXCJ 08-G01	8 mm	G1/8"	5.8	35.8	14.0
GXCJ 08-G02	8 mm	G1/4"	7.5	37.8	17.0
GXCJ 08-G03	8 mm	G3/8"	7.5	38.3	20.6
GXCJ 10-G02	10 mm	G1/4"	7.5	38.8	17.0
GXCJ 10-G03	10 mm	G3/8"	7.5	39.3	20.6
GXCJ 10-G04	10 mm	G1/2"	10.0	42.6	27.0
GXCJ 12-G02	12 mm	G1/4"	7.5	40.8	17.0
GXCJ 12-G03	12 mm	G3/8"	7.5	40.8	20.6
GXCJ 12-G04	12 mm	G1/2"	10.0	44.6	27.0
GXCJ 14-G04	14 mm	G1/2"	10.0	45.6	27.0
GXCJ 16-G04	16 mm	G1/2"	10.0	45.6	27.0



GXCJ-G

Adaptador Tubo-Rosca macho BSPP (cilíndrica)


Ref.	Ø Ext. "T"	P	B	C	D	A/F1	A/F2
VXEL 04-M5	4 mm	M5	4.0	24.0	14.0	11.0	9.5
VXEL 06-G01	6 mm	G1/8"	6.0	38.0	24.0	14.3	14.3
VXEL 06-G02	6 mm	G1/4"	8.0	43.0	27.0	19.0	17.4
VXEL 08-G01	8 mm	G1/8"	6.0	38.0	24.0	14.3	14.3
VXEL 08-G02	8 mm	G1/4"	8.0	43.0	27.0	19.0	17.4
VXEL 10-G02	10 mm	G1/4"	8.0	43.0	27.0	19.0	17.4
VXEL 10-G03	10 mm	G3/8"	8.0	51.0	31.0	22.0	20.6
VXEL 12-G03	12 mm	G3/8"	8.0	51.0	31.0	22.0	20.6
VXEL 12-G04	12 mm	G1/2"	10.0	57.0	33.0	27.0	24.0



VXEL-G

"T" Tubo - Rosca macho BSPP (cilíndrica orientable)

Ref.	Ø Ext. "T"	P	B	D	L	A/F
VXA 06-G02	6 mm	G1/4"	7.5	12.4	29.3	17.0
VXA 08-G02	8 mm	G1/4"	7.5	14.0	30.4	17.0
VXA 10-G03	10 mm	G3/8"	7.5	16.5	31.8	20.6



VXA-G

Antirretorno Recto